

BiOX™

Portable X-ray

Innovation in X-ray imaging



Simple Operation

Lightweight - 4.8lb (2.2kg)

*Safe - Zero Leakage design
makes BiOX safe*

CALL TODAY!

1-800-869-0915

HandheldPortableXray.com

**Handheld Portable
X-RAY UNIT**

BiOX™

Portable X-ray

Innovation in Today's Dental X-ray

Portable X-ray Unit

• Why BiOX? •

- Lightweight! Only 4.8lbs in total weight!
- The lightest portable X-ray unit in the market today.
- ZERO Leakage design makes BiOX safe!
- One BiOX can replace all wall mounted units.
- Wide color LCD and simple operation.
- Ultra portable - You can take BiOX anywhere.



CALL TODAY!

1-800-869-0915

HandheldPortableXray.com

Ergonomic Design

Lightweight!

The battery pack is separated from the body to minimize the actual weight of the body and to reduce the stress on operator's arms and shoulders.

Handheld **Portable**
X-RAY UNIT

Recommendations

"Using BiOX, the portable X-ray, is one of the wisest choice I've made on buying a dental product. It saves so much time that you have more consultation time with your patients and even for treatments."

- Julie Hong, DDS

"BiOX is simply the best portable X-ray unit, and it is the best investment for the money..."


- Dong H. Lee, DDS

"I prefer the BiOX over the wall mounted because it is so much lighter and easier to maneuver. It takes less than 3 minutes for me to take a FMX on a patient now and I would never want to go back to the wall mounted X-ray."

- Jennifer Barkhouse, LDA



Clear Image



BiOX produces highest quality image with lowest patient dosage. Works perfectly with both digital sensors and films resulting in excellent image. Easy and the fastest way to get the best quality x-ray image.

Simple Operation!

Wide color LCD with easy to recognize preset exposure time makes **BiOX** very easy to operate.

You may also adjust preset exposure time by just a touch of a button.

Affordable!

BiOX costs thousands of dollars less than other competitors' portable X-ray units. BiOX offers innovative technology and world-class quality at an affordable price. We are dedicated to make innovation simple and affordable

CALL TODAY!

1-800-869-0915

HandheldPortableXray.com

**Handheld Portable
X-RAY UNIT**



BiOX™

Portable X-ray

BiOX Specification

X-ray Insulation	Tube Voltage	60kV
	Tube Current	3.0mA
X-ray Tube	Anode Type	Stationary
	Anode Angle	20
	Focal Spot Size	0.8mm
Exposure Time		0.01~1.6sec (0.01 step)
Total Filtration		1.6mm Al
SSD		100mm, 210mm (W/Long Cone)
Total Weight		2.2kg (4.8lbs)
Weight W/O Battery		1.9kg (4.2lbs)
Dimension		180(W) x 73(D) x 138(H) mm
Power Requirement	Battery	CD 24V
	Battery Charger	AC 100~240V
	Power Supply (used w/stand)	AC 100~240V

CALL TODAY!
1-800-869-0915

HandheldPortableXray.com

Handheld **Portable** **X-RAY UNIT**

CE
0434

